

# Material Safety Data Sheet

according to EC-Regulation No. 1272/2008

updated: 01/2018

Version: 1.0

## Section I - Product and Company Information

Product Name	Glucose Assay Kit I
Product Number	PK-CA577-K606
Product Classification	Cell Biology Reagents
Company and Contact Information	PromoCell GmbH Sickingenstrasse 63/65 69126 Heidelberg Germany Phone: +49 6221 – 649 34 0 E-mail: info@promokine.info

## Section II – Composition/Information on Ingredients

Product Name/Chemical Name	CAS-No.	EC-No.	MW	Chemical Formula
DMSO	67-68-5	200-664-3	78.13	C <sub>2</sub> H <sub>6</sub> O <sub>S</sub>

## Section III – Hazard Information

Component	Description	Volume	Safety Information
Glucose Assay Buffer	Proprietary Buffer	25 ml	No hazards
Glucose Probe (in DMSO)	In DMSO	0.2 ml	See below
Glucose Enzyme Mix (lyophilized)	lyophilized	1 vial	No hazards
Glucose Standard (100 nmol/μl)	Liquid	100 μl	No hazards

### DMSO:

#### Emergency Overview

**OSHA Hazards:** Combustible liquid, Target organ effect

**Target Organs:** Eyes, Skin

**GHS Classification:** Flammable liquids (Category 4)

**GHS Label elements, including precautionary statements**

**Pictogram:** none

**Signal word:** Warning

**Hazard statement(s):** H227 Combustible liquid

**Precautionary statement(s):** none

#### HMIS Classification

Health hazard: 0

Chronic Health Hazard: \*

Flammability: 2

Physical hazards: 0

#### NFPA Rating

Health Hazard: 0

Fire: 2

Reactivity Hazard: 0

#### Potential Health Effects

**Inhalation:** May be harmful if inhaled. May cause respiratory tract irritation.

**Skin:** May be harmful if absorbed through skin. May cause skin irritation.

**Eyes:** May cause eye irritation.

**Ingestion:** May be harmful if swallowed.

**Aggravated Medical Condition:** Avoid contact w/DMSO solutions containing toxic materials with unknown toxicological properties. DMSO is readily absorbed through skin and may carry such materials into the body.

## Section IV – First Aid Measures

**General advice:** Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

**If inhaled:** If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

**In case of skin contact:** Wash off with soap and plenty of water. Consult a physician.

**In case of eye contact:** Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

**If swallowed:** Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

## Section V – Fire-Fighting Measures

### DMSO:

**Suitable extinguishing media:** For small (incipient) fires, use media such as “alcohol” foam, dry chemical or carbon dioxide. For large fires, apply water foam as far as possible. Use very large quantities (flooding) of water applied as a mist or spray; solid streams of water may be ineffective. Cool all affected containers with flooding quantities of water.

**Special protective equipment for fire-fighters:** Wear self-contained breathing apparatus for firefighting if necessary.

**Hazardous combustion products:** Hazardous combustion products formed under fire conditions — no data available.

**Further information:** Use water spray to cool unopened containers.

## Section VI – Accidental Release Measures

**Personal precautions:** Use personal protective equipment. Avoid breathing vapors, mist, or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

**Environmental precautions:** Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

**Methods for cleaning up:** Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.

## Section VII – Handling and Storage

### **Precautions for safe handling**

Avoid inhalation of vapor or mist. Avoid contact with skin and eyes.

### **Conditions for safe storage**

Keep container tightly closed in a dry and well-ventilated place.

Recommended storage temperature: -20 °C

## Section VIII – Exposure Controls/Personal Protection

### DMSO:

Components	CAS No.	Value	Control Parameters	Basis
Dimethyl sulfoxide	67-68-5	TWA	250 ppm	USA. Workplace Environmental Exposure Levels (WEEL)

### **Personal protective equipment**

#### **Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

#### **Hand protection**

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

#### **Eye protection**

Tightly fitting safety goggles. Face shield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

#### **Skin and body protection**

Complete suit protecting against chemicals. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

#### **Hygiene measures**

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

## Section IX – Physical and Chemical Properties

Property	DMSO
Appearance:	Clear liquid
pH:	No data available
Water Solubility:	Completely miscible
Other Solubility:	No data available
Boiling Point (°C)	189 °C (372 °F)
Melting Point (°C)	16-19 °C (61-66 °F)
Flash Point (°C):	87 °C (189 °F)
Ignition Temperature (°C):	301 °C (574 °F)
Density:	1.1 g/ml

## Section X – Stability and Reactivity

Property	DMSO
Chemical stability:	Stable under recommended storage conditions
Conditions to avoid:	Heat, Flames, Sparks
Materials to avoid:	Acid chlorides, Phosphorus halides, Strong acids, Strong oxidizing agents, Strong reducing agents
Hazardous decomposition products:	Carbon oxides, sulfur oxides

## Section XI – Toxicological Information

### DMSO:

**Acute toxicity:** LD50 Oral – rat – 14,500 mg/kg

LC50 Inhalation – rat – 4 h – 40250 ppm

LD50 Dermal – rabbit -> 5,000 mg/kg

**Skin corrosion/irritation:** Skin – rabbit – no skin irritation – 4h

**Serious eye damage/eye irritation:** Eyes – rabbit – mild eye irritation

**Respiratory or skin sensitization:** no data available

**Germ cell mutagenicity:** Genotoxicity in vitro – mouse – lymphocyte: Cytogenetic analysis

Genotoxicity in vitro - -mouse – lymphocyte: Mutation in mammalian somatic cells

Genotoxicity in vivo – rat – Intraperitoneal: Cytogenetic analysis

Genotoxicity in vivo - mouse - Intraperitoneal: DNA damage

**Carcinogenicity:** Carcinogenicity – rat – Oral -> Tumorigenic: equivocal tumorigenic agent by RTECS criteria. Skin and appendages: other: tumors. Carcinogenicity – mouse – Oral -> Tumorigenic: equivocal tumorigenic agent by RTECS criteria. Leukemia skin and appendages: other: tumors.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

**Reproductive toxicity:** Reproductive toxicity – rat – Intraperitoneal -> Effects on fertility: abortion

Reproductive toxicity – rat – Intraperitoneal -> Effects on fertility: post-implantation mortality (e.g. dead and/or resorbed implants per total number of implants)

Reproductive toxicity – rat – Subcutaneous -> Effects on fertility: post-implantation mortality (e.g. dead and/or resorbed implants per total number of implants). Effects on fertility: litter size: (e.g. # fetuses per litter; measured before birth)

Reproductive toxicity – mouse - Oral -> Effects on fertility: post-implantation mortality (e.g. reduction in number of implants per female; total number of implants per corpora lutea). Effects on embryo/fetus: Fetotoxicity (expect death, e.g. stunted fetus). Specific developmental abnormalities: musculoskeletal system.

**Teratogenicity:** Developmental toxicity – mouse – Intraperitoneal: Effects on embryo/fetus: Fetotoxicity (expect death, e.g. stunted fetus). Specific developmental abnormalities: musculoskeletal system

**Specific target organ toxicity – single exposure (GHS):** no data available

**Specific target organ toxicity – repeated exposure (GHS):** no data available

**Aspiration hazard:** no data available

### Potential Health Effects

**Inhalation:** May be harmful if inhaled. May cause respiratory tract irritation.

**Skin:** May be harmful if absorbed through skin. May cause skin irritation.

**Eyes:** May cause eye irritation.

**Ingestion:** May be harmful if swallowed.

**Aggravated Medical Condition:** Avoid contact w/DMSO solutions containing toxic materials or materials with unknown toxicological properties. DMSO is readily absorbed through skin and may carry such materials into the body.

**Signs and Symptoms of Exposure:** Effects due to ingestion may include: nausea, fatigue, and/or headache.

**Additional information:** RTECS: PV6210000

## Section XII – Ecological Information

### DMSO:

**Elimination information (persistence and degradability):** no data available

**Ecotoxicity effects: Toxicity to fish:** LC50 – Pimephales promelas (fathead minnow) – 34,000 mg/l – 96 h

LC50 – Oncorhynchus mykiss (rainbow trout) – 35,000 mg/l – 96 h

**Toxicity to daphnia and other aquatic invertebrates:** EC50 – Daphnia pulex (Water flea) – 27,500 mg/l

**Toxicity to algae:** EC50 – Lepomis macrochirus (Bluegill) -> 400,000 mg/l – 96 h

**Further information on ecology:** no data available

## Section XIII – Disposal Information

**Product:** Observe all federal, state and local environmental regulations.

**Contaminated packaging:** Dispose of as unused product.

## Section XIV – Transport Information

### DMSO:

**DOT (US):** UN-Number: 1993 Class: CBL Packing group: III; Proper shipping name: Combustible liquid, n.o.s. (Dimethyl sulfoxide);

Marine pollutant: No; Poison Inhalation Hazard: No

**IMDG:** Not dangerous goods

**IATA:** Not dangerous goods

## Section XV – Regulatory Information

**OSHA Hazards:** Combustible liquid, Target organ effect

**SARA 302 Components:** SARA 302: No chemical in this material are subject to the reporting requirements of SARA Title III, Section 302.

**SARA 313 Components:** SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title II, Section 313.

**SARA 311/312 Hazards:** Fire Hazard, Chronic Health Hazard

**Massachusetts Right To Know Components:** No components are subject to the Massachusetts Right to Know Act.

**Pennsylvania Right To Know Components:** Dimethyl sulfoxide CAS-No. 67-68-5; Revision Date: 2007-03-01

**New Jersey Right To Know Components:** Dimethyl sulfoxide CAS-No. 67-68-5; Revision Date: 2007-03-01

**California Prop. 65 Components:** This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

### EU Regulations:

Component	Risk Phrases	Safety Phrases
DMSO	R10, R36/37/38	S24/25, S36/37/39, S45

## Section XVI - Disclaimer

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. PromoCell shall not be held liable for any damage resulting from handling or from contact with the above product.

FOR IN VITRO RESEARCH USE ONLY. NOT FOR DIAGNOSTIC OR THERAPEUTIC PROCEDURES.

### PromoCell GmbH

Sickingenstr. 63/65  
69126 Heidelberg  
Germany

Email: [info@promocell.com](mailto:info@promocell.com)  
[www.promocell.com](http://www.promocell.com)

### USA/Canada

Phone: 1 – 866 – 251 – 2860 (toll free)  
Fax: 1 – 866 – 827 – 9219 (toll free)

### Deutschland

Telefon: 0800 – 776 66 23 (gebührenfrei)  
Fax: 0800 – 100 83 06 (gebührenfrei)

### France

Téléphone: 0800 90 93 32 (ligne verte)  
Téléfax: 0800 90 27 36 (ligne verte)

### United Kingdom

Phone: 0800 – 96 03 33 (toll free)  
Fax: 0800 – 169 85 54 (toll free)

### Other Countries

Phone: +49 6221 – 649 34 0  
Fax: +49 6221 – 649 34 40